

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

SECTION 1. IDENTIFICATION

Product name : Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
H361d Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical attention.
Storage:
P405 Store locked up.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 3.0 Revision Date: 07/06/2024 SDS Number: 7900798-00011 Date of last issue: 04/13/2024
Date of first issue: 03/17/2021

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	28.689
4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	18
Fluralaner	864731-61-3	12.5
Magnesium Aluminometasilicate	12511-31-8	6.25
Sodium n-dodecyl sulfate	151-21-3	2
Moxidectin	113507-06-5	0.0313

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.
Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

- | | | |
|--|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Chlorine compounds
Fluorine compounds
Nitrogen oxides (NO _x)
Sulfur oxides
Metal oxides
Silicon oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : | Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 3.0 Revision Date: 07/06/2024 SDS Number: 7900798-00011 Date of last issue: 04/13/2024
Date of first issue: 03/17/2021

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m ³	ACGIH
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	TWA	250 µg/m ³ (OEB 2)	Internal
Fluralaner	864731-61-3	TWA	100 µg/m ³ (OEB 2)	Internal
	Further information: Skin			
		Wipe limit	1000 µg/100 cm ²	Internal
Magnesium	12511-31-8	TWA (Res-	1 mg/m ³	ACGIH

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 3.0 Revision Date: 07/06/2024 SDS Number: 7900798-00011 Date of last issue: 04/13/2024
Date of first issue: 03/17/2021

Aluminometasilicate		pirable particulate matter	(Aluminum)	
Moxidectin	113507-06-5	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 3.0	Revision Date: 07/06/2024	SDS Number: 7900798-00011	Date of last issue: 04/13/2024 Date of first issue: 03/17/2021
----------------	------------------------------	------------------------------	---

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid
Color	: light pink, to, light brown
Odor	: aromatic
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--

Components:

Cellulose:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Acute oral toxicity : LD50 (Rat): > 24,000 mg/kg
LD50 (Mouse): > 24,000 mg/kg
LD50 (Dog): 2,000 mg/kg

Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: No mortality observed at this dose.
No significant adverse effects were reported

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: No significant adverse effects were reported

Magnesium Aluminometasilicate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 3.500 mg/kg

Sodium n-dodecyl sulfate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Moxidectin:

Acute oral toxicity : LD50 (Rat): 106 mg/kg
LD50 (Mouse): 42 - 84 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.28 mg/l
Exposure time: 5 h
Test atmosphere: dust/mist
LC50 (Rat): 2.87 - 4.06 mg/l
Test atmosphere: dust/mist

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Remarks: No significant adverse effects were reported
Acute toxicity (other routes of administration)	:	LD50 (Rat): 394 mg/kg Application Route: Intraperitoneal LD50 (Mouse): 84 mg/kg Application Route: Intraperitoneal LD50 (Rat): > 640 mg/kg Application Route: Subcutaneous LD50 (Mouse): 263 mg/kg Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:

Fluralaner:

Species	:	Rabbit
Result	:	No skin irritation

Magnesium Aluminometasilicate:

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Sodium n-dodecyl sulfate:

Species	:	Rabbit
Result	:	Skin irritation

Moxidectin:

Species	:	Rabbit
Result	:	Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Fluralaner:

Species	:	Rabbit
Result	:	Mild eye irritation

Magnesium Aluminometasilicate:

Species	:	Rabbit
---------	---	--------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

Result	: No eye irritation
Remarks	: Based on data from similar materials

Sodium n-dodecyl sulfate:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

Moxidectin:

Species	: Rabbit
Result	: Moderate eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Fluralaner:

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Magnesium Aluminometasilicate:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Sodium n-dodecyl sulfate:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

Moxidectin:

Test Type	: Buehler Test
Routes of exposure	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 3.0	Revision Date: 07/06/2024	SDS Number: 7900798-00011	Date of last issue: 04/13/2024 Date of first issue: 03/17/2021
----------------	------------------------------	------------------------------	---

Germ cell mutagenicity

Not classified based on available information.

Components:

Cellulose:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Fluralaner:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Mouse Lymphoma Result: negative
	Test Type: Chromosomal aberration Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

Magnesium Aluminometasilicate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
	Test Type: Chromosome aberration test in vitro

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 3.0	Revision Date: 07/06/2024	SDS Number: 7900798-00011	Date of last issue: 04/13/2024 Date of first issue: 03/17/2021
----------------	------------------------------	------------------------------	---

Genotoxicity in vivo	Result: negative Remarks: Based on data from similar materials
	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

Sodium n-dodecyl sulfate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	Test Type: In vitro mammalian cell gene mutation test Result: negative
	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative

Moxidectin:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative
	Test Type: in vitro test Test system: Escherichia coli Result: negative
	: Test Type: Chromosomal aberration Species: Rat Cell type: Bone marrow Result: negative
	Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Cell type: Liver cells Result: negative

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

Components:

Cellulose:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 72 weeks
Result	: negative

Fluralaner:

Carcinogenicity - Assessment	: No data available
------------------------------	---------------------

Magnesium Aluminometasilicate:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 103 weeks
Result	: negative
Remarks	: Based on data from similar materials

Sodium n-dodecyl sulfate:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Method	: OECD Test Guideline 453
Result	: negative
Remarks	: Based on data from similar materials

Moxidectin:

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 4.5 mg/kg body weight
Result	: negative

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 4.5 mg/kg body weight
Result	: negative

Species	: Dog
Application Route	: Oral
Exposure time	: 1 Years
NOAEL	: 0.5 mg/kg body weight
Result	: negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 3.0	Revision Date: 07/06/2024	SDS Number: 7900798-00011	Date of last issue: 04/13/2024 Date of first issue: 03/17/2021
----------------	------------------------------	------------------------------	---

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 3,000 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.

Fluralaner:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 50 mg/kg body weight
General Toxicity F1: LOAEL: 100 mg/kg body weight
Result: No effects on fertility., Postimplantation loss., Adverse neonatal effects.

Test Type: One-generation reproduction toxicity study
Species: Dog
Application Route: Oral
Fertility: NOAEL: 75 mg/kg body weight

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 3.0	Revision Date: 07/06/2024	SDS Number: 7900798-00011	Date of last issue: 04/13/2024 Date of first issue: 03/17/2021
----------------	------------------------------	------------------------------	---

	Result: No effects on fertility and early embryonic development were detected. Remarks: No significant adverse effects were reported
Effects on fetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects. Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Skeletal malformations., Visceral malformations. Remarks: Maternal toxicity observed. Test Type: Development Species: Rabbit Application Route: Dermal Developmental Toxicity: NOAEL: 100 mg/kg body weight Result: Skeletal malformations.
Reproductive toxicity - Assessment	: Suspected of damaging the unborn child.

Magnesium Aluminometasilicate:

Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
------------------------------	--

Sodium n-dodecyl sulfate:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

Moxidectin:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
----------------------	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

		Species: Rat Application Route: Oral General Toxicity F1: LOAEL: 0.8 mg/kg body weight Symptoms: Reduced fetal weight., Fetal mortality. Result: No effects on fertility., Some evidence of adverse effects on development, based on animal experiments.
		Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity F1: LOAEL: 0.8 mg/kg body weight Symptoms: Reduced fetal weight., Fetal mortality. Result: No effects on fertility., Some evidence of adverse effects on development, based on animal experiments.
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 10 mg/kg body weight Embryo-fetal toxicity.: LOAEL: 10 mg/kg body weight Result: Skeletal malformations. Remarks: The effects were seen only at maternally toxic doses.
		Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: LOAEL: 5 mg/kg body weight Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: No teratogenic effects., No embryotoxic effects.
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

Moxidectin:

Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

Repeated dose toxicity

Components:

Cellulose:

Species	: Rat
NOAEL	: >= 9,000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Species	: Dog
NOAEL	: 10 mg/kg
LOAEL	: 30 mg/kg
Application Route	: Ingestion
Exposure time	: 3 d
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: 600 mg/kg
Application Route	: Oral
Exposure time	: 19 d
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: 600 mg/kg
Application Route	: Oral
Exposure time	: 30 d
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: 600 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Remarks	: No significant adverse effects were reported

Fluralaner:

Species	: Dog
NOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 52 Weeks
Target Organs	: Liver
Remarks	: No significant adverse effects were reported

Species	: Juvenile dog
LOAEL	: 56 - 280 mg/kg
Application Route	: Oral
Exposure time	: 24 Weeks
Symptoms	: Diarrhea

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

Species	: Rat
LOAEL	: 400 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Liver, thymus gland

Species	: Rat
NOAEL	: 500 mg/kg
Application Route	: Dermal
Exposure time	: 90 Days
Target Organs	: Liver
Remarks	: No significant adverse effects were reported

Magnesium Aluminometasilicate:

Species	: Rat
	: ≥ 1000 mg/kg
Application Route	: Ingestion
Exposure time	: 100 Days

Sodium n-dodecyl sulfate:

Species	: Rat
NOAEL	: 488 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

Moxidectin:

Species	: Mouse
NOAEL	: 3.9 mg/kg
LOAEL	: 15.4 mg/kg
Application Route	: Oral
Exposure time	: 4 Weeks
Symptoms	: Tremors

Species	: Rat
NOAEL	: 3.9 mg/kg
LOAEL	: 7.9 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Central nervous system
Symptoms	: Tremors, Salivation

Species	: Dog
NOAEL	: 0.3 mg/kg
LOAEL	: 0.9 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Central nervous system
Symptoms	: Tremors, Lachrymation, Salivation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

Species	: Dog
NOAEL	: 1.15 mg/kg
Application Route	: Oral
Exposure time	: 52 Weeks
Target Organs	: Central nervous system
Symptoms	: Tremors, Lachrymation

Aspiration toxicity

Not classified based on available information.

Components:

Fluralaner:

|| Not applicable

Experience with human exposure

Components:

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Ingestion	: Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhea, Headache, Dizziness, Fever
-----------	--

Fluralaner:

Skin contact	: Remarks: May irritate skin.
Eye contact	: Remarks: May cause eye irritation.

Moxidectin:

Inhalation	: Remarks: No human information is available.
Skin contact	: Remarks: No human information is available.
Eye contact	: Remarks: No human information is available.
Ingestion	: Remarks: No human information is available.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cellulose:

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	--

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Ecotoxicology Assessment

Acute aquatic toxicity	: Toxic effects cannot be excluded
Chronic aquatic toxicity	: Toxic effects cannot be excluded

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 3.0	Revision Date: 07/06/2024	SDS Number: 7900798-00011	Date of last issue: 04/13/2024 Date of first issue: 03/17/2021
----------------	------------------------------	------------------------------	---

II

Fluralaner:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0.015 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic toxicity)	: NOEC (Zebrafish): >= 0.049 mg/l Exposure time: 21 d Method: OECD Test Guideline 204 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.0736 µg/l Exposure time: 21 d Method: OECD Test Guideline 211

Magnesium Aluminometasilicate:

Ecotoxicology Assessment

Chronic aquatic toxicity	: No toxicity at the limit of solubility.
--------------------------	---

Sodium n-dodecyl sulfate:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 29 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l Exposure time: 72 h NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): >= 1.357 mg/l Exposure time: 42 d
Toxicity to daphnia and other	: NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

aquatic invertebrates (Chronic toxicity)
Toxicity to microorganisms : EC50: 135 mg/l
Exposure time: 3 h

Moxidectin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.0006 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0002 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00003 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.087 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Sodium n-dodecyl sulfate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Fluralaner:

Bioaccumulation : Species: Zebrafish
Bioconcentration factor (BCF): 79.4
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

Sodium n-dodecyl sulfate:

Partition coefficient: n-octanol/water : log Pow: 0.83

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

Moxidectin:

Partition coefficient: n-octanol/water : log Pow: 4.7

Mobility in soil

Components:

Fluralaner:

Distribution among environmental compartments : log Koc: 4.1

Other adverse effects

Components:

Fluralaner:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Fluralaner, Moxidectin)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Fluralaner, Moxidectin)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

ger aircraft)
Environmentally hazardous : yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Fluralaner, Moxidectin)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Fluralaner, Moxidectin)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(Fluralaner, Moxidectin)
Remarks	: Above applies only to containers over 119 gallons or 450 liters. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Combustible dust Reproductive toxicity
----------------------	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Cellulose	9004-34-6
4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6
Fluralaner	864731-61-3
Propylene oxide polymer with ethylene oxide	9003-11-6
Croscarmellose sodium	74811-65-7
Pork by products	Not Assigned
Magnesium Aluminometasilicate	12511-31-8
Hydroxypropyl methylcellulose	9004-65-3
Sodium hydroxide	1310-73-2

California Permissible Exposure Limits for Chemical Contaminants

Cellulose	9004-34-6
-----------	-----------

The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version 3.0 Revision Date: 07/06/2024 SDS Number: 7900798-00011 Date of last issue: 04/13/2024
Date of first issue: 03/17/2021

NFPA 704:



HMIS® IV:

HEALTH	*	1
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA : 8-hour, time-weighted average
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner / Moxidectin / Pyrantel Pamoate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/13/2024
3.0	07/06/2024	7900798-00011	Date of first issue: 03/17/2021

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 07/06/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8